

United States Patent and Trademark Office

United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1490 Alexandria, Virginia 22313-1450

	U.S. APPLICATION NUMBER NO.	FIRST NAMED APPLICANT	ATTY, DOCKET NO.	
	10/594 013	Dimo Dietrich	82585	

23685 KRIEGSMAN & KRIEGSMAN 30 TURNPIKE ROAD, SUITE 9 SOUTHBOROUGH, MA 01772

84383		
INTERNATIONAL APPLICATION NO.		
PCT/EP2005/003366		
LA. FILING DATE	PRIORITY DATE	
03/24/2005	03/24/2004	

CONFIRMATION NO. 3953 371 FORMALITIES LETTER



Date Mailed: 10/06/2008

NOTIFICATION OF DEFECTIVE RESPONSE

The following items have been submitted by the applicant or the IB to the United States Patent and Trademark Office as an Elected Office (37 CFR 1.495):

- Indication of Small Entity Status
- · Priority Document
- Copy of the International Application filed on 09/25/2006
- English Translation of the IA filed on 08/27/2008
- Copy of the International Search Report filed on 09/25/2006
- Information Disclosure Statements filed on 09/25/2006
- Biochemical Sequence Diskette filed on 09/25/2006
- Oath or Declaration filed on 09/25/2006
- Biochemical Sequence Listing filed on 09/25/2006
- Request for Immediate Examination filed on 09/25/2006
- U.S. Basic National Fees filed on 09/25/2006
- Priority Documents filed on 09/25/2006
- Specification filed on 09/25/2006
- Claims filed on 09/25/2006
- Abstracts filed on 09/25/2006
- Drawings filed on 09/25/2006

Applicant's response filed 08/27/2008 is hereby acknowledged. The following requirements set forth in the NOTIFICATION of MISSING REQUIREMENTS mailed 06/20/2008 have not been completed.

· A copy of the "Sequence Listing" in computer readable form has been submitted. However, the content of the computer readable form does not comply with the requirements of 37 CFR 1.822 and/or 1.823. as indicated on the attached copy of the marked -up "Raw Sequence Listing." Applicant must provide a substitute computer readable form (CRF) copy of the "Sequence Listing" and a statement that the content of the sequence listing information recorded in computer readable form is identical to the written (on paper or compact disc) sequence listing and, where applicable, includes no new matter, as required by 37 CFR 1.821(e), 1.821(f), 1.821(g), 1.825(b), or 1.825(d), Refer to attachment or PAIR document dated 10/03/06.

Applicant is required to complete the response within a time limit of ONE MONTH from the date of this Notification or within the time remaining in the response set forth in the Notification of Missing Requirements, whichever is the longer. No extension of this time limit may be granted under 37 CFR 1.136, but the period for response set in the Notification of Missing Requirements may be extended under 37 CFR 1.136(a).

Applicant is cautioned that correction of the above items may cause the specification and drawings page count to exceed 100 pages. If the specification and drawings exceed 100 pages, applicant will need to submit the required application size fee.

For questions regarding compliance to 37 CFR 1.821-1.825 requirements, please contact:

- For Rules Interpretation, call (571) 272-0951
 For Patentin Software Program Help, call Patent EBC at 1-866-217-9197 or directly at 703-305-3028 /
- 703-308-6845 between the hours of 6 a.m. and 12 midnight, Monday through Friday, EST.

 Send e-mail correspondence for Patentin Software Program Help @ ebc@uspto.gov

Applicant is reminded that any communications to the United States Patent and Trademark Office must be mailed to the address given in the heading and include the U.S. application no. shown above (37 CFR 1.5)

Registered users of EFS-Web may alternatively submit their reply to this notice via EFS-Web. https://sportal.uspto.gov/authenticate/AuthenticateUserLocalEPF.html

For more information about EFS-Web please call the USPTO Electronic Business Center at 1-866-217-9197 or visit our website at http://www.uspto.gov/ebc.

If you are not using EFS-Web to submit your reply, you must include a copy of this notice.

TAMALA D HOLLAND	
Telephone: (703) 308-9140 EXT 209	